

NEW ADDITIONS ②

BUYERS GUIDE EDITION 13





TRUSTED EXPERIENCE SINCE 1987

UNRIVALED BACKUP AND SUPPORT

COMPREHENSIVE IN-STOCK OFFERING OF OVER 4500 ITEMS

ACCESSIBLE THROUGHOUT SUB-SAHARAN AFRICA

SEAMLESS AND CONVENIENT TRADING EXPERIENCE



BCE Foodservice Equipment is Southern Africa's leading supplier of commercial kitchen equipment, appliances, utensils, buffetware, and tableware for the hospitality and foodservice industries. Established in 1987, BCE's roots are firmly grounded in Southern Africa. We have an extensive product range, with over 4500 products, comprising quality brands, sourced from reputable local and international suppliers such as Robot Coupe (vegetable preparation equipment), Churchill (crockery solutions), Hamilton Beach (commercial blenders) and Cambro (hospital care and storage).

BCE boasts over 60 leading brands, distributed exclusively through an expansive dealer network throughout Sub-Saharan Africa. With experience spanning over 35 years, BCE has built a formidable operational capability to service its customers and is regarded as the best in the highly competitive foodservice equipment industry.

INDEX

Heating	1 - 12
Refrigeration	13 - 14
Display Units	15 - 16
Processing	16 - 19
Storage And Handling	20 - 23
Cleaning And Washing	24
Utilities And Smalls	25 - 29
Chefware	29
Buffetware	30 - 33
Tableware	34 - 45

HEAVY DUTY - GRILLERS - FLOOR STANDING HALF FLAT/HALF RIBBED

FEATURES

- Ultimate versatility with a half ribbed/half flat grill surface
- Heavy-duty Robert Shaw thermostats for reliable and effective heating control over entire surface
- Heavy-duty 12MM thick cooking surface for effective heat distribution and retention
- Rear fixed castors to easily move for cleaning

2 YEAR WARRANTY



ELECTRIC - 900

FRE0900

SPECIFICATIONS

SURFACE	: Half Flat Grill, Half Ribbed
POWER	: 12kW
VOLTAGE	: 380V - 3phase (N+E)
DIMENSIONS	: 918 X 765 X 1000MM
GRILL AREA	: 914 X 550MM
WEIGHT	: 100KG

OTHER ORDER CODES

INSERT HOLDER

IHF0001

MEAT RESTING TRAY

MRT0001

Note

Power cable not included

FEATURES

- Ultimate versatility with a half ribbed/half flat grill surface
- Rear castors to easily move for cleaning
- LPGSA gas approved ball valves for reliable and durable control
- Hard-wearing and long lasting heavy cast iron grates and radiants that retain and radiate heat for efficient grilling

2 YEAR WARRANTY



GAS - 900

FRG0900

SPECIFICATIONS

SURFACE	: Half Flat Grill, Half Ribbed
POWER OUTPUT	: 84000 BTU
DIMENSIONS	: 918 X 765 X 1000MM
GRILL AREA	: 914 X 550MM
WEIGHT	: 100KG
GAS	: LPG + NG (NG available on request)

OTHER ORDER CODES

INSERT HOLDER

IHF0001

MEAT RESTING TRAY

MRT0001

Note

Heavy-duty gas products to be connected by an approved gas installer

No gas regulator supplied

HEATING



HEAVY DUTY - GRILLER - FLOOR STANDING RADIANT

FEATURES

- Equipped with heavy-duty LPGSA approved ball valves for reliable and durable control
- Constructed with a solid S/Steel stand and a bottom shelf for additional storage
- Solid S/Steel construction, designed to be hard-working, durable
- Rear castors facilitate easy movement for cleaning. Features hard-wearing, long-lasting cast iron grates and radiants for effective heat retention and grilling efficiency
- Engineered to meet the demanding needs of busy kitchens in popular chain stores, franchises, and high-end restaurants

2 YEAR
WARRANTY



1200

FGR1200

SPECIFICATIONS

OUTPUT	: 112 000 BTU
PACKAGING (W x D x H)	: 1270 x 880 x 1160MM
UNIT (W x D x H)	: 1235 X 765 X 1000MM
NET WEIGHT	: 120KG
GROSS WEIGHT	: 130KG
SHIPPING VOLUME	: 1.29m3
SURFACE	: RIBBED GRATES
GRID SIZE	: 450 X 150MM
GRILL AREA	: 1214 X 460MM

Note

Heavy-duty gas products to be connected by approved gas installer.

No gas regulator supplied



HEATING



HEAVY DUTY - STOVE - GAS

FEATURES

- All S/Steel structure
- Heavy-duty burner with lifting off flame spreader
- Pilot shielding tube to prevent clogging from spillage
- Open bottom tray for easy cleaning
- Cast iron grates, easy to be removed
- S/Steel stands



4 BURNER

FGS0004

SPECIFICATIONS

OUTPUT	: 120 000 BTU
DIMENSIONS	: 800 X 815 X 945MM
NET WEIGHT	: 90KG
GROSS WEIGHT	: 120KG

Note

Heavy-duty gas products to be connected by an approved gas installer

HEAVY DUTY - STOVE - SOLID TOP - GAS

FEATURES

- New unit designed to compete in the rigorous and demanding environment of busy kitchens in the most popular chain stores, franchises and high-end restaurants
- LPGSA approved control valves for reliable and durable control
- Sturdy, S/Steel stand with bottom shelf for additional storage
- Powerful 14 000 BTU burners, for even and effective heat distribution
- Solid S/Steel construction, designed to be hard-working, durable, easy to clean, maintain and service
- Heavy-duty 16MM thick stove plates for effective heat distribution and retention



3 BURNER

FSP0003

SPECIFICATIONS

OUTPUT	: 42 000 BTU
PACKAGING (W X D X H)	: 1200 X 865 X 1090MM
UNIT (W X D X H)	: 1102 X 765 X 1000MM
NET WEIGHT	: 129KG
GROSS WEIGHT	: 129KG
SHIPPING VOLUME	: 1.13 M3
SURFACE	: FLAT
COOKING AREA	: 969 X 537MM
GAS	: LPG & NGAS

Note

Heavy-duty gas products to be connected by approved gas installer

No gas regulator supplied

HEATING



HEAVY DUTY - STOVE - SOLID TOP - ELECTRIC

FEATURES

- Heavy-duty Robert Shaw control thermostats for reliable and durable control
- Sturdy, S/Steel stand with bottom shelf for additional storage
- Rear castors to easily move for cleaning
- Powerful 4kW heating elements, for even and effective heat distribution
- Solid S/Steel construction, designed to be hard-working, durable, easy to clean, maintain and service
- Heavy-duty 16mm thick stove plates for effective heat distribution and retention



3 PLATE FSP1003

SPECIFICATIONS

POWER	: 12kW
VOLTAGE	: 380V - 50Hz - 3Phase
PACKAGING (W x D x H)	: 1200 x 865 x 1090MM
UNIT (W x D x H)	: 1102 x 765 x 1000MM
COOKING AREA	: 969 x 537MM
NET WEIGHT	: 76KG
GROSS WEIGHT	: 80KG
SHIPPING VOLUME	: 0.71m3
SURFACE	: Flat

INDUCTION COOKER

FEATURES

- Dual glass configuration with two 5kW heating coils per glass
- Front-mounted controls for safe working practices
- Top plates spaced apart to allow for bigger pots
- S/Steel construction with patterned ceramic glass cooking surface
- Heats only the pan and its contents, keeping the cooking surface cool and safe
- Operates only with induction pans and pots



4 PLATE FIS0001

SPECIFICATIONS

POWER	: 4 x 5.0kW
VOLTAGE	: 380V - 50Hz- 3 Phase
PACKAGING (W x D x H)	: 1000 X 885 X 1140MM
UNIT (W x D x H)	: 900 X 765 X 915MM
NET WEIGHT	: 86 kg
GROSS WEIGHT	: 93KG
SHIPPING VOLUME	: 1.03M3
PRODUCT OUTPUT	: 20kW

HEATING



SPEED OVEN

FEATURES

- Suitable for convenience foods, such as frozen pizza, burgers, and sandwiches amongst others
- 5" touch screen controller for easy operation
- Built-in oil smoke filter and catalytic converter
- Adjustable fan speed in 10% increments
- Hot air impingement locks in food moisture
- Only suitable for use with Forge Speed Chef approved accessories
- Convection oven heats from the bottom for even browning
- Microwave cooking

DON'T JUST COOK, SPEED COOK

ENERGY SAVING | COST EFFECTIVE | SIMPLE | FAST



SPEED CHEF HOF1000

SPECIFICATIONS

POWER	: 3,3 KW
VOLTAGE	: 230V - 50Hz - Single Phase
PACKAGING (W X D X H)	: 770 x 565 x 840MM
UNIT (W X D X H)	: 460 x 675 x 660MM
NET WEIGHT	: 64KG
GROSS WEIGHT	: 88.5KG
SHIPPING VOLUME	: 0.36 M3
CAPACITY	: 17LT
COOKING STAGES	: 15

Note

Includes 1 Oven shovel, 1 Teflon coated plate aluminium, 1 Round pizza pan aluminium, 1 Teflon mesh basket, 1 Round teflon mesh.



FEATURES

- Powerful Performance: A high-efficiency fan and baffle plate ensure even heat circulation for consistently perfect baking results
- Space-saving design: Perfect for tight kitchens without compromising on output, fits easily on or under countertops.
- Smart Features: Includes a bake timer, interior light, and glass/stainless door for maximum strength, visibility, and control

SMALL IN SIZE, BIG ON RESULTS!



PRIMA MINI COA1001

SPECIFICATIONS

POWER	: 12kW
VOLTAGE	: 230V - 50Hz
DIMENSIONS (W x D x H)	: 477 X 524 X 428MM
CHAMBER DIMENSIONS (W x D x H)	: 350 X 260 X 218MM
RUNNER SPACING	: 40 - 70MM
NET WEIGHT	: 16KG
GROSS WEIGHT	: 18KG
FAN	: 1

NOTE

All-Inclusive: Comes with 3 chrome grids

CONVECTION OVEN

FEATURES

- Ideal for bakeries, cafés, and prep kitchens needing consistent results without overcomplicating things
- Compact but commercial – powerful outputs (up to 6.5kW) and GN 1/1 tray compatibility in a small footprint
- Choice of controls – easy-to-use manual dials or precise digital
- options depending on kitchen needs
- Even bake consistency – designed for uniform air circulation and reliable baking performance
- Hygienic & durable – S/Steel construction ensures long-lasting, easy-to-clean use




MARCONI - MANUAL COP1204

SPECIFICATIONS

POWER VOLTAGE	: 3.3kW - 230V - 50/60 Hz
TEMPERATURE	: 30°C - 260°C
OUTSIDE DIMENSIONS	: 600 X 600 X 540MM
SPACE BETWEEN TRAYS	: 75MM
WEIGHT	: 37KG
CAPACITY	: 4 Trays 480 X 345MM




MARCONI - MANUAL COP1214

SPECIFICATIONS

POWER VOLTAGE	: 6.5kW - 230/400V - 50/60 Hz
TEMPERATURE	: 30°C - 260°C
OUTSIDE DIMENSIONS	: 800 X 760 X 540MM
SPACE BETWEEN TRAYS	: 75MM
WEIGHT	: 55KG
CAPACITY	: 4 Trays 600 X 400MM or GN 1/1

Note

Manual oven with push-button steam injection, ideal for baking. Adds humidity to improve oven spring and enhance crust colour and texture on breads and buns




MARCONI - DIGITAL COP1224

SPECIFICATIONS

POWER VOLTAGE	: 6.5kW - 230/400V - 50/60 Hz
TEMPERATURE	: 30°C - 260°C
OUTSIDE DIMENSIONS	: 800 X 760 X 540MM
SPACE BETWEEN TRAYS	: 75MM
WEIGHT	: 55KG
CAPACITY	: 4 Trays 600 X 400MM or GN 1/1

Note

Manual oven with push-button steam injection, ideal for baking. Adds humidity to improve oven spring and enhance crust colour and texture on breads and buns

Requires to be installed by a qualified electrical installer
Power cable not included

OTHER ORDER CODES

800 - S/STEEL STAND COP8001

SPECIFICATIONS

OUTSIDE DIMENSIONS	: 780 X 850 X 940MM
WEIGHT	: 22KG

COMBI STEAM OVEN - MANUAL

FEATURES

- Built for chefs who want reliability and control in a hard-working kitchen environment
- Steam + convection cooking – flexible performance for roasting, baking, steaming, or regeneration
- No-nonsense operation
- 3-Speed fan settings – control airflow for precision on delicate or dense products
- Heavy-duty construction – AISI 304 S/Steel chamber ensures durability and heat retention
- Built for real-world kitchens that value reliability

2 YEAR WARRANTY



LEONARDO - 4 PAN

COP1104

SPECIFICATIONS

POWER	: 6.3kW
VOLTAGE	: 400V 3N~ / 230V 1N~
OUTSIDE DIMENSIONS	: 760 X 720 X 570MM
SPACE BETWEEN TRAYS	: 75MM
WEIGHT	: 55KG
N° TRAYS	: 4
COMPATIBLE TRAYS	: EN 600 X 400 / GN 1/1

2 YEAR WARRANTY



LEONARDO - 6 PAN

COP1106

SPECIFICATIONS

POWER	: 10.5kW
VOLTAGE	: 400V 3N~ / 230V 1N~
OUTSIDE DIMENSIONS	: 785 X 850 X 830MM
SPACE BETWEEN TRAYS	: 80MM
WEIGHT	: 90KG
N° TRAYS	: 6
COMPATIBLE TRAYS	: EN 600 X 400 / GN 1/1

Note

Requires to be installed by a qualified electrical installer
Power cable not included

OTHER ORDER CODES

800 - S/STEEL STAND
COP8001

SPECIFICATIONS

OUTSIDE DIMENSIONS	: 780 X 850 X 940MM
WEIGHT	: 22KG

COMBI STEAM OVEN - MANUAL

2 YEAR WARRANTY



LEONARDO - 10 PAN

COP1110

SPECIFICATIONS

POWER	: 15.7kW
VOLTAGE	: 400V 3N~
OUTSIDE DIMENSIONS	: 780 X 850 X 1200MM
SPACE BETWEEN TRAYS	: 80MM
WEIGHT	: 121KG
N° TRAYS	: 10
COMPATIBLE TRAYS	: EN 600 X 400 / GN 1/1

Note

Requires to be installed by a qualified electrical installer
Power cable not included

OTHER ORDER CODES

S/STEEL STAND

COP7006

SPECIFICATIONS

OUTSIDE DIMENSIONS	: 780 X 850 X 600MM
WEIGHT	: 28KG

2 YEAR WARRANTY



LEONARDO - 20 PAN

COP1120

SPECIFICATIONS

POWER	: 36kW
VOLTAGE	: 400V 3N~
OUTSIDE DIMENSIONS	: 940 X 1000 X 1930MM
SPACE BETWEEN TRAYS	: 66MM
WEIGHT	: 250KG
N° TRAYS	: 20
COMPATIBLE TRAYS	: GN 1/1

Comes standard with 20 tray GN1 trolley
Optional - COP2001 (16 tray 600 X 400MM trolley)

Note

Requires to be installed by a qualified electrical installer
Power cable not included

OTHER ORDER CODES

16 TRAY TROLLEY

COP2001

SPECIFICATIONS

OUTSIDE DIMENSIONS	: 600 X 400MM
--------------------	---------------

COMBI STEAM OVEN - DIGITAL

FEATURES

- For modern chefs who demand smart control, speed, and precision without compromising on durability
- Touchscreen interface with enhanced UI – sleek, intuitive display makes operation easy for any skill level
- Programmable cooking cycles – save and recall your signature recipes for consistent results, every time
- Multi-level timer control – perfectly manage different trays with different cook times in a single session
- Integrated self-washing system – reduces labour and improves hygiene with one-touch cleaning
- Smart steam & multi-fan Injection – ensures uniform cooking and moisture balance across all levels

2 YEAR WARRANTY



EVOLUZIONE - 4 PAN COP1304

SPECIFICATIONS

POWER	: 9.3kW
VOLTAGE	: 400V 3N~ / 230V 1N~
OUTSIDE DIMENSIONS	: 780 X 850 X 640MM
SPACE BETWEEN TRAYS	: 75MM
WEIGHT	: 70KG
N° TRAYS	: 4
COMPATIBLE TRAYS	: EN 600 X 400 & GN 1/1

2 YEAR WARRANTY



EVOLUZIONE - 6 PAN COP1306

SPECIFICATIONS

POWER	: 10.5kW
VOLTAGE	: 220-240V 3F (38A)
WEIGHT	: 90KG
OUTSIDE DIMENSIONS	: 785 X 890 X 870MM
SPACE BETWEEN TRAYS	: 80MM
N° TRAYS	: 6
COMPATIBLE TRAYS	: EN 600 X 400 & GN 1/1

Note

Requires to be installed by a qualified electrical installer
Power cable not included

OTHER ORDER CODES

800 - S/STEEL STAND COP8001

SPECIFICATIONS

OUTSIDE DIMENSIONS	: 780 X 760 X 950MM
WEIGHT:	: 22KG

COMBI STEAM OVEN - DIGITAL

2 YEAR WARRANTY



EVOLUZIONE - 10 PAN COP1310

SPECIFICATIONS

POWER	: 15.8kW
VOLTAGE	: 220-240V 3F (38A)
OUTSIDE DIMENSIONS	: 785 X 890 X 1230MM
SPACE BETWEEN TRAYS	: 80MM
WEIGHT	: 121KG
N° TRAYS	: 10
COMPATIBLE TRAYS	: EN 600 X 400 & GN 1/1

Note

Requires to be installed by a qualified electrical installer
Power cable not included

OTHER ORDER CODES

S/STEEL STAND COP7006

SPECIFICATIONS

OUTSIDE DIMENSIONS	: 780 X 760 X 600MM
WEIGHT	: 28KG

2 YEAR WARRANTY



EVOLUZIONE - 20 PAN COP1320

SPECIFICATIONS

POWER	: 36kW
VOLTAGE	: 400V 3N~
WEIGHT	: 250KG
N° TRAYS	: 20
COMPATIBLE TRAYS	: GN 1/1
OUTSIDE DIMENSIONS	: 875 X 1000 X 1930MM
SPACE BETWEEN TRAYS	: 66MM

Note

Requires to be installed by a qualified electrical installer
Power cable not included



ACCESSORIES COMBI STEAM / CONVECTION OVEN



16 TRAY TROLLEY

COP2001

SPECIFICATIONS

OUTSIDE DIMENSIONS : 600 X 400MM

EQUIPPED WITH:

Tray holder for 16 trays

Note

Suitable for all 20 Pan Pidom Ovens



ALUMINIUM BAKING TRAY SOLID

COP3022

480 X 345 X 8MM

Note

Tray for COP1204 Marconi oven only



GN1/1 FRY BASKET S/STEEL

STS0530

530 X 330 X 40MM



BAKING TRAY ALUMINIUM SOLID

BTA0011

600 X 400 X 20MM



S/STEEL STAND

COP7006

SPECIFICATIONS

OUTSIDE

DIMENSIONS : 780 X 850 X 600MM

WEIGHT : 28KG

EQUIPPED WITH:

Tray holder for 4 trays

Note

Suitable for all 10 Pan Pidom Ovens



BAKING TRAY ALU STEEL PERFORATED

COR3003

600 X 400 X 10MM



S/STEEL STAND

COP8001

SPECIFICATIONS

OUTSIDE

DIMENSIONS : 780 X 840 X 940MM


WEIGHT : 22KG

EQUIPPED WITH:

Tray holder for 8 trays

Note

Suitable for all 4 and 6 Pan Pidom Ovens



CHROME GRID

COR3001

600 X 400MM

Note

Suitable for the Pidom combi steam ovens (6 & 10 pan)

HEATING



CHARCOAL OVEN



FEATURES

- Made entirely of high-quality S/Steel
- Coated with insulating materials that optimize the use of carbon and reduce heat radiation
- Adjustable air inlet and smoke outlet with multiple adjustment positions
- An interior firewall designed for enhanced security features and a thermal insulation mat that reduces heat radiation around the oven, enabling the placement of other equipment nearby
- A thermal insulation mat that can withstand temperatures up to 1200°C
- The spacious interior cabin of this oven enables multiple grills to be utilized comfortably, with the added safety feature of a firewall to ensure smoke is safely extracted
- Ash drawer made of high quality S/Steel for better thermal insulation during the ignition period
- Greater power and efficiency. A way to cook faster, cleaner and healthier
- No need to connect to a power source, works with charcoal only
- A 5kg charcoal load is perfect for one 50p shift, reaching cooking temperature in approximately 30 minutes with the help of the upper air flow regulator and lower adjustable air inlet for rapid internal oven heat increase

140 STAINLESS STEEL

PCO1140K

SPECIFICATIONS

DIMENSIONS	: 880 X 890 X 840MM
CAPACITY	: 130 - 140LT
GRILL	: 775 X 655 X 20MM
TEMPERATURE	: 250-350°C
WEIGHT	: 240KG

Note

Includes 1 S/Steel grill, 1 tong, 1 ash shovel, 1 charcoal poker, 1 metal brush



ELECTRIC URN



FEATURES

- Sight glass water level indicator
- Built-in boil dry protection
- Cool touch plastic handles
- Power and keep warm pilot lights
- 2,5kW embedded element boils water quickly

MATTE BLACK

URA1020-R01

20LT

SPECIFICATIONS

POWER	: 2.5KW
VOLTAGE	: 230V
DIMENSIONS	: 354 X 415 X 680MM
NET WEIGHT	: 5.2KG
CAPACITY	: 20LT


REFRIGERATION



WINE COOLER

FEATURES

- Dual zone with air cooling
- Built-in or free standing
- Net capacity: 265LT
- 99 bottles capacity, 750ML standard Bordeaux wine
- Frameless black glass door with standard hinge
- Grip handle
- Black plinth ventilation
- 8 natural stronger beech wood shelves + 1 bottom
- LED display with touch screen control
- White interior lighting at the liner top
- Activated charcoal filter
- Reversible door (180° flip-over) with visible hinge
- Adjustable feet
- No frost



**THREE
LAYER
GLASS
DOOR**

99 BOTTLES WCS1099

SPECIFICATIONS

VOLTAGE	: 220V-240V/50HZ
REFRIGERANT	: R600A
TEMPERATURE RANGE	: 5-12°C - /12-20°C
NEW ENERGY CLASS	: CLASS G
NOISE LEVEL	: 38DB
DIMENSIONS	: 595 X 700 X 1210MM
WEIGHT	: 82KG



SOFT SERVE MACHINE

FEATURES

- Compact & efficient output
- Delivers up to 9LT of soft serve per hour continuously. Ideal for operations in ambient temperatures from 10°C to 32°C
- Made from food-grade SUS304 S/Steel for the hopper and freezing system, and a SUS410 exterior panel, It's rust-resistant, easy to clean, and built for long service life
- Durable & hygienic design
- Optimized for small spaces
- A smart choice for cafés, small dessert shops, and kiosks, this compact model works with powdered ice cream mix and includes auto-return handles and a rear-exhaust airflow system



TABLE TOP - SINGLE SMS3001

SPECIFICATIONS

VOLTAGE	: 220-240V/50Hz
TEMPERATURE RANGE	: -3.5°C
POWER	: 1200W
DIMENSIONS	: 220 X 750 X 700MM
PACKAGING DIMENSIONS	: 340 X 840 X 825MM
REFRIGERANT	: R404A / 700g / 0.5HP
NET WEIGHT	: 41KG
GROSS WEIGHT	: 55.8KG

FEATURES

- Durable, food-safe construction
- Built with a SUS304 S/Steel hopper and freezing cylinder, and a SUS410 outer panel, this machine is corrosion-resistant, hygienic, and easy to maintain
- Versatile for any venue
- The sturdy build ensures long-term durability and operational safety
- Produces 22-26LT/hour of soft serve, without interruption
- Operates efficiently in ambient temps from 10°C to 38°C
- Ideal for ice cream shops, cafés, and kiosks, it works with powder or liquid mix to serve cones, cups, and more



FLOOR STANDING - TRIPLE SMS3003

SPECIFICATIONS

VOLTAGE	: 220-240V/50Hz
TEMPERATURE RANGE	: -3.5°C
POWER	: 2400W
DIMENSIONS	: 545 X 710 X 1330MM
PACKAGING DIMENSIONS	: 610 X 740 X 1460MM
REFRIGERANT	: R404A / 700g / 1.5HP
NET WEIGHT	: 112KG
GROSS WEIGHT	: 136KG

DISPLAY UNITS



CURVED - COUNTERTOP



880MM DFC0880

SPECIFICATIONS

VOLTAGE	: 230V-50HZ
VOLUME	: 136LT
REFRIGERANT	: R290/60g
REFRIGERANT TEMPERATURE	: 0 - 12°C
DIMENSIONS	: 880X 568 X 686MM
WEIGHT	: 66KG



1220MM DFC1220

SPECIFICATIONS

VOLTAGE	: 230V-50HZ
STORAGE VOLUME	: 200LT
REFRIGERANT	: R290/70g
REFRIGERANT TEMPERATURE	: 0 - 12°C
DIMENSIONS	: 1220X 568 X 686MM
WEIGHT	: 92KG



DISPLAY UNITS



STRAIGHT - COUNTERTOP



880MM DFS0880

SPECIFICATIONS

VOLTAGE	: 230V-50HZ
VOLUME	: 160LT
REFRIGERANT	: R290/60g
REFRIGERANT TEMPERATURE	: 0 - 12°C
DIMENSIONS	: 880X 568 X 686MM
WEIGHT	: 66KG



1220MM DFS1220

SPECIFICATIONS

VOLTAGE	: 230V-50HZ
STORAGE VOLUME	: 242LT
REFRIGERANT	: R290/70g
REFRIGERANT TEMPERATURE	: 0 - 12°C
DIMENSIONS	: 1220X 568 X 686MM
WEIGHT	: 92KG

PROCESSING



SLICER



XPRESS - 250MM SLX0250

SPECIFICATIONS

CUT CAPACITY	: 230 X 145MM
CUT THICKNESS	: 1 - 15MM
DIMENSIONS	: 530 X 430 X 375MM
BLADE DIAMETER	: 250MM
WEIGHT	: 13KG

PROCESSING



BAR BLENDER

FEATURES

- Rubberised polycarbonate sound cover
- Multi-function
- Two in one S/Steel cutting blade

- Industrial high-speed motor
- Crushes ice in seconds
- Premium quality, and transparent
- Precision technology



WITH SOUND SHIELD

BBS1500

SPECIFICATIONS

JUG CAPACITY	: 1.5LT
POWER	: 2200W
SPEED	: LOW - 22000RPM HIGH - 27000RPM
VOLTAGE	: 230V ~50HZ
DIMENSIONS	: 240 X 265 X 460MM
PACKAGING	: 308 X 288 X 531MM
GROSS WEIGHT	: 29KG
NET WEIGHT	: 7.6KG

OTHER ORDER CODES

SPARE JUG - 1.5LT

BBS1501

MILKSHAKE MIXER - SINGLE HEAD (INCL CUP)



MATTE BLACK

MMA0008

SPECIFICATIONS

POWER	: 0.35kW-220V
DIMENSIONS	: 165 X 158 X 498MM
WEIGHT	: 4.5KG

OTHER ORDER CODES

MILKSHAKE CUP S/STEEL - 750ML

MSC0001

Note

Includes one milkshake cup - 800ML

PROCESSING



BAR BLENDER

FEATURES

- Lid open and jar pad sensor - prevents blending if jar or lid is not on correctly
- Simple high, low, pulse controls for easy operation
- Durable and easy-to-use sealed switches ensure long life
- Perfect for a variety of cocktail & coffee shop applications



RIO - 1.4LT BBH4001

SPECIFICATIONS

JUG CAPACITY	: 1.4LT BPA-Free Jar
MOTOR POWER	: 1.6HP with pulse - 220-240V - 50-60Hz, 3.2A
DIMENSIONS	: 190 X 216 X 410MM
WEIGHT	: 4.7KG

OTHER ORDER CODES

SPARE JUG - 1.5LT BBH3002-R01



HAND MINCERS



NO. 8 MHP2008

SPECIFICATIONS

DIMENSIONS	: 52 X 30 X 27CM
WEIGHT	: 2KG

NO. 22 MHP2022

SPECIFICATIONS

DIMENSIONS	: 67 X 27 X 21CM
WEIGHT	: 4.2KG

NO. 10 MHP2010

SPECIFICATIONS

DIMENSIONS	: 57.5 X 35 X 30CM
WEIGHT	: 2.6KG

NO. 32 MHP2032

SPECIFICATIONS

DIMENSIONS	: 36 X 33 X 23CM
WEIGHT	: 7.5KG

OTHER ORDER CODES

MINCER PLATES - 5MM

XMHP7209	- NO. 8
XMHP6209	- NO. 10
XMHP5209	- NO. 22
XMHP4209	- NO. 32

PROCESSING

robot coupe

CL60 - S/STEEL



WITH AUTOMATIC FEED HEAD (3000 SERVINGS)

VPR2260

SPECIFICATIONS

POWER	: 1500W - 3 - PHASE - 400V - 50Hz
2 SPEEDS	: 375 and 750RPM
DIMENSIONS	: 1260 X 404 X 545MM
OPERATING TIME	: Up to 900KG/H
WEIGHT	: 57KG
SERVINGS	: 300 TO OVER 3000 SERVINGS WITH AUTO FEED

OTHER ORDER CODES

WITH PUSHER FEED (3000 SERVINGS)

VPR0260

CL60 TROLLEY ONLY

VPR4060

(trolley sold separately, and excludes containers)



**FEED HEAD
ONLY**
VPR3260



**AUTOMATIC FEED
HEAD ONLY**
VPR1260

D-CLEANING KIT

XFPR0065



Grid holder
• One side for
CL30 Bistro
• One side for
R502 and
CL50 to CL60



Dicing grid cleaning
tool 5MM, 8MM,
10MM, 12MM and
14MM



Scraper tool



KIT COMPLETE EASYCLEAN XPRESS

8X8
UPR6071

12X12
UPR6073

10X10
UPR6072

14X14
UPR6074

Note: Only available on request

STORAGE AND HANDLING

CAMBRO

UTILITY CART



FEATURES

- These carts are robust and designed for both front and back-of-house transport needs
- Used for equipment and supply storage, room service delivery, or banquet room setup
- Each cart is equipped with two ergonomic handles that feature Camguard antimicrobial
- Easy to assemble
- The three polypropylene shelves are durable, stain-resistant, easy to clean, and lightly textured to reduce sliding
- The generous 30cm spacing between shelves facilitates faster loading and unloading
- The aluminum uprights between shelves ensure optimal sturdiness, stability, and rust resistance



LARGE
KCL0001
181KG
BLACK



TRASH CONTAINER
TCB0001
BLACK



**CUTLERY/
SILVERWARE BOX**
CBB0001
BLACK



PANEL SET
KCP0001
BLACK

Note

Panel set consists of 2 panels. You need 2 sets to cover the whole unit



BASICS SHELVES



LIFETIME WARRANTY
ON CORROSION AND RUST



**4 TIER
VENTED**
BVS0008

610 X 765 X 1830MM

BVS0007

460 X 765 X 1830MM



**ADD ON/
CORNER UNIT**
BAC0610


610 X 765 X 1830MM

BAC0460

460 X 765 X 1830MM

Note

Compatible with
460MM deep Basics
Plus starter units



POST KITS
BSP0460

460 X 1830MM

BSP0610

610 X 1830MM

Note

Compatible with all
Basics Plus add-on
corner units



5 TIER VENTED

BSV0003

534 X 765 X 2130MM

BSV0004

534 X 915 X 2130MM

BSV0005

534 X 1070 X 2130MM

BSV0006

534 X 1220 X 2130MM



**ADD ON/
CORNER UNIT**

BAV0003

534 X 765 X 2130MM

BAV0004

534 X 915 X 2130MM

BAV0005

534 X 1070 X 2130MM

BAV0006

534 X 1220 X 2130MM

Note

Compatible with 2130 Basics Plus starter units

STORAGE AND HANDLING

CAMBRO

UNIVERSAL RACKS



LIFETIME WARRANTY
ON CORROSION AND RUST



**CB UNIVERSAL RACK
STARTER**
BSV0534
534MM



Individual storage section



Transform stacked pans, and gaps of wasted space, into easy-access, vertical product storage



**CB UNIVERSAL RACK
ADD ON**
BAC0534
540MM



304 S/Steel Hex Head Bolts

Molded-in 1/4" Pan Stops, on the front and back of each rail



Create convenient "drawer" storage for frequently-accessed products/ingredients

Note

Only compatible with 540MM deep shelving, other sizes available upon request

LIDS FOR INSERTS



HALF
INH4005

Note

Compatible with INHA065-C, INH4100-C, INH5150-C
(NOT FOR DIRECT HEAT)



FULL
INF4005

Note

Compatible with INF4060-C, INF4100-C, INF4200-C, INF4150-C
(NOT FOR DIRECT HEAT)

WHITE POLYCARBONATE DINNERWARE



FEATURES

- Resists stains, scratches and odours
- Dishwasher safe
- Extreme durability



**3 DIVISION
DINNER PLATE**
PDP1002-C
22.9CM



**ROUND SOUP/
SALAD BOWL**
PSB1450-C
22.9CM



**NARROW RIM
SIDE PLATE**
PSP1205-C
16.5CM



**NARROW RIM
DINNER PLATE**
PDP1230-C
22.9CM



CEREAL BOWL
PCB1370
370ML



MUG
PCM1300-C
288ML



CLEANING AND WASHING

CAMBRO

PEDAL BINS



● **RED**
IBP9168
68LT

● **BLUE**
IBP9268
68LT

● **GREEN**
IBP9368
68LT

● **YELLOW**
IBP9468
68LT



68 LITRE CAPACITY



STEP-ON MECHANISM



REAR WHEELS

Spectra

WET FLOOR SIGN



A-CONE
WFS0003
675MM



UTILITIES AND SMALLS



PIPING BAGS



DISPOSABLE
DPB0002
305 X 160MM
ROLL OF 72



SPEED RAIL - S/STEEL



813MM
SSR1032



FIBERGLASS SMOOTH TRAY



BLACK
FST2350
27 W X 35CM L



WHITE
FST1350
27 W X 35CM L

CHEFS TORCH GAS POWERED



HEAVY DUTY
CTG0003

BASTING BRUSH



**FULL SILICONE
BLACK
SBB0002
278 X 86MM**



PIZZA CUTTERS - PLASTIC HANDLE




- **RED**
PCR0400
100MM
- **YELLOW**
PCY0400
100MM
- **GREEN**
PCG0400
100MM



PIZZA SHOVEL

**PERFORATED
PSP1000**



MEASURING JUGS - PLASTIC - VALUE



1LT
MJP1001

2LT
MJP1002

5LT
MJP1005



TWEEZER - S/STEEL



FISH
KTS0003
250MM



TAPERED PREP SINK BOWL



13LT
MBT1005
450 X 130MM



ROASTING PAN - S/STEEL



WITH HANDLES
RPS0360
360 X 290 X 50MM



PANS



FRYING - TEFLON
PTF0024
240MM

PTF0028
280MM

PTF0030
300MM



TRAY STAND



WOOD
TRS0002



OIL TESTER

FEATURES

- +50°C to +250°C
- Induction compatible
- Protective cover
- Recalibratable tester
- Charge via USB cable (Supplied)



**ELECTRONIC
OTE1001**
30 X 48 X 25MM



CHEFWARE



DISPOSABLES



**MOP CAP
BLACK
UDC5001**
PACK OF 100



**BEARD COVER
WHITE
UDC0003**
PACK OF 100



**MEDIUM - BLACK
NITRILE POWDER
FREE GLOVES
UDN0003**
PACK OF 100

CHAFING FUEL

FEATURES

- Less product wastage
- Easier refilling than a tub & bottle due to the convenience of a tap
- Handy fill, 1x5LT bag equivalent to approximately 20 tins
- No splatter or mess whilst refilling a tin
- Clearly visible and easy-to-read safety warnings printed directly onto the bag
- 4 official languages included on all warning symbols



ALCOHOL REFILL BAG (METHANOL)

CFA0005

4 X 5LT



DECORATIVE FOOD DISPLAY LAMP



COPPER

DDL1002

SPECIFICATIONS

VOLTAGE	: 230V
POWER	: 250W
WEIGHT	: 1.5KG
DIMENSIONS	: 320 X 320 X 340MM



DOMES COVERS - POLYCARBONATE



TAPERED
SDC0004 - 305MM



ARCH HANDLE
SDC0005 - 305MM



T- COLLECTION



MULTI DISPENSER
MDT0005
(3 STEP TYPE)

SPECIFICATIONS

CAPACITY : 2LT X 3 each (6LT)
DIMENSIONS : 404 X 137 X 433MM



CEREAL DISPENSER SINGLE
CDT0006

SPECIFICATIONS

CAPACITY : 3LT
DIMENSIONS : 160 X 217 X 633MM



ICE WHITE LUCITE TRAY
TLT0325
325 X 265 X 75MM



ACRYLIC - COLD DISPLAY
GN 1/2
CDT0013
337 X 296 X 202MM





T- COLLECTION



**WOOD - COLD DISPLAY
GN 1/2
CDT0010**
325 X 265 X 160MM



**GRAY ASHWOOD TRAY
WDT4000**
325 X 265 X 40MM



**VINTAGE STEP RISER
1 TIER INCLINED - BRONZE
TSR0006**
325 X 265MM



**VINTAGE STEP RISER
2 TIER - BRONZE
TSR0010**
355 X 265MM



**VINTAGE STEP RISER
1 TIER - BRONZE
TSR0005**
325 X 265MM



**GRAY ASHWOOD TRAY
WDT0016**
530 X 162 X 40MM



**VINTAGE STEP RISER
1 TIER - BRONZE
TSR0012**
530 X 162MM



**VINTAGE STEP RISER
1 TIER INCLINED - BRONZE
TSR0013**
530 X 162MM



DISPLAY STAND



**WOODEN
THREE TIER**
WDS1003 - 305MM



Note


Due to the use of natural wood, the exact colour of the finished product cannot be guaranteed.

PIZZA BOARD



WOODEN
WPB0320 - 320 X 20MM

320MM
DIAMETER



Note

Due to the use of natural wood, the exact colour of the finished product cannot be guaranteed.

BUTTER BELL 18/10 S/STEEL



WITH PORCELAIN HOLDER
IBB0090 - 90MM

TABLEWARE



FYNBOS

ATLANTIC BLUE



ROUND PLATE
NG4520-18BL - 18CM (6)
NG4520-28BL - 28CM (6)



OVAL BOWL
NG4521-12BL - 12CM - 320ML (6)



MUG
NG4526-BL - 440ML (6)



COUPE BOWL
NG4522-30BL - 29.5CM (12)



RECTANGULAR PLATE
NG4503-45BL - 45.5 X 21CM (4)



SMALL BOWL WITH HANDLE
NG4523-10BL - 10CM - 90ML (6)



COFFEE CUP
NG4524-BL - 260ML (6)
SAUCER
NG4525-BL - 16CM (6)



TABLEWARE



FYNBOS

KAROO SAND



ORGANIC ROUND BOWL

NG4502-25WH - 25.8 X 8CM - 1.5LT (4)

NG4502-30WH - 30.5 X 9.5CM - 3LT (4)

NG4502-40WH - 40.5 X 9.5CM - 6LT (3)



COUPE BOWL

NG4522-30WH - 29.5CM (12)



ROUND PLATE

NG4520-18WH - 18CM (6)

NG4520-28WH - 28CM (6)



RECTANGULAR PLATE

NG4503-35WH - 35.5 X 18.5CM (4)

NG4503-45WH - 45 X 21CM (3)



OVAL BOWL

NG4521-12WH - 12CM - 320ML (6)



SMALL BOWL WITH HANDLE

NG4523-10WH - 10CM - 90ML (6)



MUG

NG4526-WH - 440L (6)



COFFEE CUP

NG4524-WH - 260ML (6)

SAUCER

NG4525-WH - 16CM (6)



TABLEWARE



FYNBOS

MOUNTAIN GREY



ORGANIC ROUND BOWL

NG4502-25GY - 25.8 X 8CM - 1.5LT (4)

NG4502-30GY - 30.5 X 9.5CM - 3LT (4)

NG4502-40GY - 40.5 X 9.5CM - 6LT (3)



COUPE BOWL

NG4522-30GY - 29.5CM (12)



ROUND PLATE

NG4520-18GY - 18CM (6)

NG4520-28GY - 28CM (6)



RECTANGULAR PLATE

NG4503-35GY - 35.5 X 18.5CM (4)

NG4503-45GY - 45 X 21CM (3)



OVAL BOWL

NG4521-12GY - 12CM - 320ML (6)



SMALL BOWL WITH HANDLE

NG4523-10GY - 10CM - 90ML (6)



MUG

NG4526-GY - 440ML (6)



COFFEE CUP

NG4524-GY - 260ML (6)

SAUCER

NG4525-GY - 16CM (6)



TABLEWARE



FYNBOS

ALOE GREEN



ROUND PLATE

NG4520-18GR - 18CM (6)
NG4520-28GR - 28CM (6)



OVAL BOWL

NG4521-12GR - 12CM - 320ML (6)



DIP DISH

NG4527-GR - 9CM - 50ML (6)



ITALIA



TEAPOTS

- GS-R804T-B - 600ML (4)
- GS-R804T-BL - 600ML (4)
- GS-R804T-BR - 600ML (4)
- GS-R804T-R - 600ML (4)
- GS-R804T-W - 600ML (4)



JUGS

- GS-R803J-B - 100ML (6)
- GS-R803J-BL - 100ML (6)
- GS-R803J-BR - 100ML (6)
- GS-R803J-R - 100ML (6)
- GS-R803J-W - 100ML (6)



TABLEWARE



BELLA 18/10 S/STEEL



SPOON

- JS-B102 - (12) TABLE
- JS-B105 - (12) DESSERT
- JS-B108 - (12) TEA
- JS-B109 - (12) ICE CREAM
- JS-B110 - (12) COFFEE
- JS-B112 - (12) SOUP

FORK

- JS-B101 - (12) TABLE
- JS-B104 - (12) DESSERT
- JS-B106 - (12) FISH
- JS-B111 - (12) CAKE

KNIFE

- JS-B100 - (12) TABLE
- JS-B103 - (12) DESSERT
- JS-B107 - (12) FISH
- JS-B199 - (12) STEAK



LUSSO S/STEEL



SPOON

- JS-L102 - (12) TABLE
- JS-L105 - (12) DESSERT
- JS-L108 - (12) TEA
- JS-L109 - (12) ICE CREAM
- JS-L110 - (12) COFFEE
- JS-L112 - (12) SOUP

FORK

- JS-L101 - (12) TABLE
- JS-L104 - (12) DESSERT
- JS-L106 - (12) FISH
- JS-L111 - (12) CAKE

KNIFE

- JS-L100 - (12) TABLE
- JS-L103 - (12) DESSERT
- JS-L107 - (12) FISH
- JS-L199 - (12) STEAK



BUTTER KNIFE



S/STEEL
JS-F001



STEAK KNIFE



WOODEN HANDLE
KNS0120

TABLEWARE



AMERICA '20S



SLING COCKTAIL

BR1.23226

H224MM W74.5MM - 400ML (6)



ESCLUSIVA



WHITE WINE

BR3.49789

H200MM W81.5MM - 374ML (6)



RED WINE

BR3.49788

H216MM W92MM - 535ML (6)



PROSECCO

BR3.49790

H225MM W68MM - 255ML (6)



RUM

BR3.49793

H59MM W82MM - 215ML (12)



NEGRONI

BR3.49792

H89.5MM W85MM - 355ML (12)

TABLEWARE

LUCARIS
Crystal of Modern Asia

BANGKOK BLISS



CHAMPAGNE
1LS01CP06
180ML (24)

LEAD FREE



CHARDONNAY
1LS01CD13
355ML (24)



CABERNET
1LS01CB17
470ML (24)



LAVISH

LEAD FREE



DOUBLE ROCK
LT16DR13
370ML (24)



HI BALL
LT16LD14
410ML (24)



TABLEWARE

Ocean[®]

COCKTAIL



CONNEXION - COUPE
1527S07
H144MM W97MM - 215ML (24)



CUBA



POCO GRANDE
1522H12
H177MM W79MM - 350ML(24)



METROPOLITAN



BEER
1B21315
H173MM W75MM - 410ML (24)



500ML
PERFECT
FOR
DRAUGHT
BEER

BEER
1B21323
H220MM W85MM - 655ML (24)

SUPER STRONG PREMIER



LONG DRINK
1S14413
H145MM W68MM - 380ML (72)



TABLEWARE

Ocean®

ALLURE



SPARKLING
1032F08

H230MM W61MM - 220ML (24)



UNIVERSAL
1032R15

H212MM W94MM - 435ML (24)



BORDEAUX
1032A22

H230MM W103MM - 620ML (24)



PULSE



DOUBLE ROCK
1B24612

H85MM W80MM - 355ML (48)



LONG DRINK
1B24613

H135MM W66MM - 370ML (48)



TABLEWARE

áqua
GLASSWARE

VOGUE



FLUTE
SW1960-42
H220MM W65MM - 220ML (24)



WINE
SW1940-42
H210MM W95MM - 390ML (24)



WINE
SW1930-42
H220MM W100MM - 490ML (24)



WINE
SW1920-42
H220MM W110MM - 600ML (24)



ROCK
PM0880-42
H90MM W90MM - 350ML (48)

HURRICANE



AQU1001
450ML (48)



TABLEWARE

áqua
GLASSWARE

ICE BUCKETS



WITH TONG
AQU1008
1LT (16)



WITH TONG
AQU1009
900ML (16)

JUG



WITH LID
AQU1010
1.25LT (12)



SHOOTERS



BOSTON
AQU1011
25ML (12)



TEQUILA
AQU1012
25ML (12)

TABLEWARE



SALT AND PEPPER MILLS



PEPPER MILL - LINE - DARK
PEU39929
12CM (6)



SALT MILL - LINE - NATURAL
PEU39899
12CM (6)

Note: Peugeot salt and pepper mills are now sold empty, pre-filled salt and peppercorns are no longer included




macFAB


PLACEMATS




STEEL P/M
MF-STEEL
30 X 43CM (12)



ZINC P/M
MF-ZINC
30 X 43CM (12)



MARBLE P/M
MF-MARBLE
30 X 43CM (12)



MIDNIGHT P/M
MF-MIDNIGHT
30 X 43CM (12)



BRUIN P/M
MF-BRUIN
30 X 43CM (12)



JAVA P/M
MF-JAVA
30 X 43CM (12)



CANADIAN MADE



DURABLE



WEATHER RESISTANT:
SUITABLE FOR INDOOR
AND OUTDOOR USE



UV PROTECTION: RESISTS
FADING FROM SUNLIGHT



HOSPITALITY-READY:
IDEAL FOR PROFESSIONAL
SETTINGS.



EASTRAND - 2

EASTRAND - 1

Bce
Food & Beverage Solutions

REASONS
WHY

15 YEARS DELIVERY
EXPERIENCE
OF QUALITY BRANDS
SERVICE & SPARES

Bce
Food & Beverage Solutions

Bce

Bce

FN 74 PH GP

PL 43 PH GP



All rights reserved. Product information is subject to change.
© 2024/2025 by BCE Foodservice Equipment

DISCLAIMER

The products may differ slightly from the pictures shown in this buyers guide. Outputs and capacities given are generally the maximum possible and these figures do vary according to circumstances. They are based on measurements supplied by the manufacturer, or recorded here. Every effort has been made to include as much needed information as possible and to present it in an easy-to-read, unambiguous and consistent manner.

Buyers Guide New Additions 2025.

Johannesburg

195 Robert Road
Robertville
Tel: +27 10 001 0300
Toll free: 0800 332 537

Cape Town

Buttskop Road
Blackheath, Cape Town
Tel: +27 21 905 2881
Fax: +27 21 905 7980

Durban

1 Crassula Road, Unit 5,
Cornerstone Business Park,
Cornubia, eThekweni
Tel +27 79 526 0934

COMPLIMENTS, COMPLAINTS OR QUERIES: 0800 123 420 or customerservice@bce.co.za



www.bce.co.za